

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	598	(saml or liberty) with (password\$1 or identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L2	11	L1 same random\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L3	6	L2 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L4	1042	random\$4 near password\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L5	3121	random\$4 near (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L6	8	L4 with L5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L7	3	L6 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L8	5976	encrypt\$3 near password\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L9	6479	encrypt\$3 near (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03

L10	122	L8 with L9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L11	91	L10 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L12	9	L5 same L8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L13	9	L12 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L14	223	alias near identit\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L15	3	L14 and L8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L16	2	L15 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/04/20 09:03
L17	8	(L3 L7 L11 L13 L16) and @pd> "20090428"	US-PGPUB; USPAT	OR	OFF	2011/04/20 09:03
L18	10426	tripartite	US-PGPUB; USPAT	OR	OFF	2011/04/20 09:03
L19	2	(access\$3 near polic\$3) and tripartite	US-PGPUB; USPAT	OR	OFF	2011/04/20 09:03
L20	71	L18 with (authenticat\$3 or security or access\$3)	US-PGPUB; USPAT	OR	OFF	2011/04/20 09:03
L21	25	L20 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT	OR	OFF	2011/04/20 09:03
L22	16	(principal\$1 with resource\$1 with service\$1 with attribute \$1)	US-PGPUB; USPAT	OR	OFF	2011/04/20 09:03
L23	4	L22 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT	OR	OFF	2011/04/20 09:03

L24	9	(authenticated\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1) same per	US-PGPUB; USPAT	OR	OFF	2011/04/20 09:03
L25	2	L24 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT	OR	OFF	2011/04/20 09:03
L26	2	(L17 L19 L21 L23 L25) and @pd> "20101116"	US-PGPUB; USPAT	OR	OFF	2011/04/20 09:03
S1	16	("20020052798" "20020095571" "20030014631" "5737523" "5787175" "5848232" "5999711" "6014135" "6092199" "6108788" "6119230" "6230271" "6263446" "6343361" "6430575" "6515316").pn.	US-PGPUB; USPAT	OR	OFF	2007/07/16 10:19
S2	1	"20050068983".pn.	US-PGPUB; USPAT	OR	OFF	2007/07/16 10:19
S3	0	("2005/0068983").URPN.	USPAT	OR	OFF	2007/07/16 10:27
S4	177	"security assertion markup language"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:28
S5	53	"liberty alliance project"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:28
S6	13	S4 and S5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:28
S7	4	S6 and @ad< "20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:31
S12	248	"security assertion markup language"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 12:34
S13	32	S12 and alias	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 12:34

S14	1	S13 and @ad< "20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 12:35
S15	22	alias with contract	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 12:38
S16	0	S15 same session	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 12:38
S17	1	contract with session same alias	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 12:39
S18	217	authenticat\$4 with alias\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 13:35
S19	93	S18 and @rlad< "20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 13:35
S20	0	S19 and session\$1 with contract\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 13:35
S21	33	S19 and (contract or policy)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 13:35
S22	2702	726/4,5.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 13:50
S23	9792	709/227-229.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 13:50

S24	246	S22 and S23	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 13:50
S25	64	S24 and @rlad< "20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 13:51
S26	43	alias with principal	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:09
S27	5	S26 same authenticat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:09
S28	0	S27 and @rlad< "20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:09
S29	29	S26 and authenticat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:09
S30	8	S29 and @rlad< "20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:12
S31	203	S22 and LDAP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:13
S32	58	S31 and @rlad< "20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:13
S33	2	S32 and alias	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:15

S34	2920	authenticat\$6 same user near profile\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:29
S35	459	S34 and LDAP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:31
S36	6	S35 and "service contract"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:31
S37	0	S36 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:31
S38	132	S35 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:31
S39	37	S38 and contract	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:32
S40	16	S38 and ("social security" or "driver's license" or "date of birth" or ssn or dob)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:33
S41	16	S40 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:33
S42	49	("20010034841"   "20020052798"   "20020095571"   "20030002521"   "20030014631"   "20030023880"   "20030061144"   "20040128378"   "20040187031"   "20040210771"   "20050097056"   "20050120199"   "20060020549"   "20060080529"   "20070294750"   "5544322"	US-PGPUB; USPAT	OR	OFF	2008/06/22 16:12

		"5560008" "5706427"   "5737523" "5787175"   "5818936" "5841970"   "5848232" "5913025"   "5999711" "6014135"   "6088451" "6092199"   "6108788" "6119230"   "6230271" "6263446"   "6343361" "6377692"   "6430575" "6515316"   "6539482" "6718470"   "6891953" "6911974"   "6957261" "6981262"   "7088822" "7167564"   "7203968" "7224804"   "7299493" "7319752"   "7346170").pn.				
S43	9	("20030172034" "20060178997" "20070143398" "20070156659" "20070156670" "20070156694" "5933498" "6314409" "7467415").pn.	US-PGPUB; USPAT	OR	OFF	2009/01/05 16:26
S44	21	blair.xp. and douglas.xp.	US-PGPUB; USPAT	OR	OFF	2009/01/06 20:05
S45	3127	726/4,5.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S46	46	alias with principal	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S47	31	S46 and authenticat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S48	8	S47 and @rlad< "20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S49	248	S45 and LDAP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47

S50	70	S49 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S51	2	S50 and alias	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S52	3258	authenticat\$6 same user near profile\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S53	490	S52 and LDAP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S54	148	S53 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S55	18	S54 and ("social security" or "driver's license" or "date of birth" or ssn or dob)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S56	18	S55 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 20:47
S57	2	(S48 S51 S56) and @pd>"20080617"	US-PGPUB; USPAT	OR	OFF	2009/01/06 20:47
S58	1	"20050068983".pn.	US-PGPUB; USPAT	OR	OFF	2009/04/28 09:00
S59	79	"liberty alliance project"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:03
S60	306	"security assertion markup language"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:03



S61	362	S60 or S59	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:03
S62	0	((saml or liberty) near random\$4) with (password\$1 or identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:05
S63	0	((saml or liberty) with random\$4) with (password\$1 or identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:05
S64	372	(saml or liberty) with (password\$1 or identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:05
S65	5	S64 same random\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:05
S66	4	S65 and (@ad<"20030930" @rld<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:06
S67	807	random\$4 near password\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:12
S68	1	S67 and S61	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:12
S69	2231	random\$4 near (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:13
S70	8	S67 with S69	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:13

S71	69	S60 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:13
S72	3	S70 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:13
S73	8	S67 same S69	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:14
S74	4600	encrypt\$3 near password\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:15
S75	4841	encrypt\$3 near (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:16
S76	104	S74 with S75	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:16
S77	2	S76 same random\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:16
S78	87	S76 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:17
S79	1567	encrypt\$3 adj (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:17
S80	104	S74 with S75	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:17

S81	0	S78 and S61	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:18
S82	7	S69 same S74	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:22
S83	7	S82 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:22
S84	145	alias near identit\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:50
S85	1	S84 and S67	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:50
S86	3	S84 and S74	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:50
S87	2	S86 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 09:51
S88	1	"20050068983".pn.	US-PGPUB; USPAT	OR	OFF	2009/11/30 14:38
S89	1	"7552468".pn.	US-PGPUB; USPAT	OR	OFF	2009/11/30 15:30
S90	424	(saml or liberty) with (password\$1 or identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S91	7	S90 same random\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53

S92	5	S91 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S93	871	random\$4 near password\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S94	2439	random\$4 near (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S95	8	S93 with S94	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S96	3	S95 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S97	4973	encrypt\$3 near password\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S98	5264	encrypt\$3 near (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S99	109	S97 with S98	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S100	89	S99 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S101	7	S94 same S97	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53

S102	7	S101 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S103	163	alias near identit\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S104	3	S103 and S97	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S105	2	S104 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/30 15:53
S106	3	(S92 S96 S100 S102 S105) and @pd>"20090428"	US-PGPUB; USPAT	OR	OFF	2009/11/30 15:53
S107	0	(access\$3 near polic\$3) with tripartite	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:20
S108	9566	tripartite	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:20
S109	0	(access\$3 near polic\$3) same tripartite	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:21
S110	2	(access\$3 near polic\$3) and tripartite	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:21
S111	24024	"726"/\$.cdls.	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:22
S112	4	S111 and S108	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:22
S113	237	S108 same (authenticat\$3 or security or access\$3)	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:24
S114	144	S113 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:24
S115	0	S114 and (resource\$1 with service\$1 with attribute\$1)	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:25
S116	1	S114 and (resource\$1 with service\$1)	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:25
S117	52	S108 with (authenticat\$3 or security or access\$3)	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:26
S118	23	S117 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:26
S119	37	S114 and server\$1	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:30
S120	13	(principal\$1 with resource\$1 with service\$1 with attribute \$1)	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:33

S121	4	S120 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:33
S122	1216	(authentica\$3 or security or access\$3) and (resource\$1 with service\$1 with attribute \$1)	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:36
S123	400	(authentica\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1)	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:36
S124	1	(authentica\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1 with per)	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:36
S125	7	(authentica\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1) same per	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:36
S126	2	S125 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2010/03/25 20:37
S127	503	(saml or liberty) with (password\$1 or identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S128	9	S127 same random\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S129	5	S128 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S130	943	random\$4 near password\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S131	2722	random\$4 near (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S132	8	S130 with S131	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12

S133	3	S132 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S134	5415	encrypt\$3 near password\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S135	5800	encrypt\$3 near (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S136	116	S134 with S135	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S137	91	S136 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S138	9	S131 same S134	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S139	9	S138 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S140	188	alias near identit\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S141	3	S140 and S134	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S142	2	S141 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/14 14:12
S143	7	(S129 S133 S137 S139 S142) and @pd>"20090428"	US-PGPUB; USPAT	OR	OFF	2010/07/14 14:12

S144	9796	tripartite	US-PGPUB; USPAT	OR	OFF	2010/07/14 14:12
S145	2	(access\$3 near polic\$3) and tripartite	US-PGPUB; USPAT	OR	OFF	2010/07/14 14:12
S146	54	S144 with (authentica\$3 or security or access\$3)	US-PGPUB; USPAT	OR	OFF	2010/07/14 14:12
S147	23	S146 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT	OR	OFF	2010/07/14 14:12
S148	16	(principal\$1 with resource\$1 with service\$1 with attribute \$1)	US-PGPUB; USPAT	OR	OFF	2010/07/14 14:12
S149	4	S148 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT	OR	OFF	2010/07/14 14:12
S150	8	(authentica\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1) same per	US-PGPUB; USPAT	OR	OFF	2010/07/14 14:12
S151	2	S150 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT	OR	OFF	2010/07/14 14:12
S152	3	(S143 S145 S147 S149 S151) and @pd> "20100325"	US-PGPUB; USPAT	OR	OFF	2010/07/14 14:12
S153	547	(saml or liberty) with (password\$1 or identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S154	10	S153 same random\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S155	5	S154 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S156	992	random\$4 near password\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S157	2914	random\$4 near (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S158	8	S156 with S157	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43



S159	3	S158 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S160	5676	encrypt\$3 near password\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S161	6091	encrypt\$3 near (identit\$3 or identifier\$1 or id\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S162	120	S160 with S161	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S163	91	S162 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S164	9	S157 same S160	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S165	9	S164 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S166	205	alias near identit\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S167	3	S166 and S160	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S168	2	S167 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 14:43
S169	7	(S155 S159 S163 S165 S168) and @pd>"20090428"	US-PGPUB; USPAT	OR	OFF	2010/11/16 14:43

S170	10084	tripartite	US-PGPUB; USPAT	OR	OFF	2010/11/16 14:43
S171	2	(access\$3 near polic\$3) and tripartite	US-PGPUB; USPAT	OR	OFF	2010/11/16 14:43
S172	59	S170 with (authentica\$3 or security or access\$3)	US-PGPUB; USPAT	OR	OFF	2010/11/16 14:43
S173	24	S172 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2010/11/16 14:43
S174	16	(principal\$1 with resource\$1 with service\$1 with attribute \$1)	US-PGPUB; USPAT	OR	OFF	2010/11/16 14:43
S175	4	S174 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2010/11/16 14:43
S176	9	(authentica\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1) same per	US-PGPUB; USPAT	OR	OFF	2010/11/16 14:43
S177	2	S176 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2010/11/16 14:43
S178	1	(S169 S171 S173 S175 S177) and @pd>"20100714"	US-PGPUB; USPAT	OR	OFF	2010/11/16 14:43
S179	2	"7170857".pn. "7487233".pn.	US-PGPUB; USPAT	OR	OFF	2010/11/16 15:10
S180	1	"20050068983".pn.	US-PGPUB; USPAT	OR	OFF	2011/04/15 12:02
S181	330	prox\$3 with ldap	US-PGPUB; USPAT	OR	OFF	2011/04/15 17:38
S182	58	S181 and legacy	US-PGPUB; USPAT	OR	OFF	2011/04/15 17:39
S183	32	S182 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2011/04/15 17:39
S184	6	S181 same legacy	US-PGPUB; USPAT	OR	OFF	2011/04/15 17:41
S185	6	S184 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2011/04/15 17:41
S186	76	S181 with (secur\$3 or authentica\$3)	US-PGPUB; USPAT	OR	OFF	2011/04/15 17:47
S187	41	S186 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2011/04/15 17:48
S188	6	S186 with resource\$1	US-PGPUB; USPAT	OR	OFF	2011/04/15 17:51
S189	4	S188 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2011/04/15 17:51

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L27	206	prox\$3 with ldap	US-PGPUB	OR	OFF	2011/04/20 09:06

L28	18	(prox\$3 with ldap).clm.	US-PGPUB	OR	OFF	2011/04/20 09:06
L29	1	(prox\$3 same ldap same resource\$1).clm.	US-PGPUB	OR	OFF	2011/04/20 09:07
L30	0	(prox\$3 same legacy same resource\$1).clm.	US-PGPUB	OR	OFF	2011/04/20 09:07
L31	0	((authenticat\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute\$1) same per).clm.	US-PGPUB	OR	OFF	2011/04/20 09:08

4/ 20/ 11 9:08:32 AM

C:\Documents and Settings\dblair\My Documents\EAST\workspaces\10676231.wsp